



LABEOTROPHEUS FUELLEBORNI

Labeotropheus fuelleborni



Herbivorous. Eats all normal foods, but needs vegetable foods.

ADDITIONAL COMMENTS

Needs several hiding places. Exists in several colour variants around the lake. Underslung mouth is an adaption to grazing aufswuch (algae) off rocks in shallow wave-influenced areas.

Disclaimer: The information provided here is of a general nature only. There are site specific factors that are not addressed here that may also affect the health and well being of your fish, as such Coburg Aquarium will not be held liable for the performance of your fish.

Copyright © 2026 Coburg Aquarium

KEEPING SNAPSHOT

Difficulty:	Intermediate
Max Growth Size:	18 cm
Temperament:	Territorial, keep with Rift Lake Cichlids

PREFERRED WATER PARAMETERS

Temperature:	23-27 degrees celsius
pH Level:	7.5-8.5
General Hardness:	Hard

RANGE

Lake Malawi: upper rocky habitat

REPRODUCTION

Mouthbrooder: after spawning, the females incubate the eggs in their mouth until the fry are free-swimming. Males will mate with multiple females. The fry are easily raised with first foods such as baby brine shrimp.

FEEDING



03 9354 5843



03 9354 9371



info@coburgaquarium.com.au



coburgaquarium.com.au